Physica C 174 (1991) 491–494
North-Holland

Author Index to Volume 174

Akamatsu, M., see J. Fujikami **174**, 359
Akimov, A.I., see Yu.N. Shvachko **174**, 447
Almasan, C.C., C.L. Seaman, Y. Dalichaouch and M.B. Maple, "Irreversibility line" and magnetic relaxation in a $Sm_{1.85}Ce_{0.15}CuO_{4-y}$ single crystal **174**, 93
Asano, H., see J. Fujikami **174**, 359
Asthana, A., P.D. Han, Z. Xu, L. Chang, D.A. Payne and P.J. Gilbert, Enhancement of the high-T_c phase in Bi–Ca–Sr–Cu–O by ceramic processing methods **174**, 33

Bai, G., see Y. Gao **174**, 1
Bajorek, A., see Z. Tomkowicz **174**, 71
Bałanda, M., see Z. Tomkowicz **174**, 71
Blackstead, H.A., D.B. Pulling, P.J. McGinn and J.Z. Liu, Flux-flow and phase-slip dissipation in crystalline $Bi_2Sr_2CaCu_2O_{8+\delta}$ and $YBa_2Cu_3O_{7-\delta}$ **174**, 394
Börner, H., see S.L. Ginzburg **174**, 109
Bowden, M., see R.G. Buckley **174**, 383
Bozovic, I., see J.H. Kim **174**, 435
Brown, P.J., see H. Maletta **174**, 489
Buckley, R.G., D.M. Pooke, J.L. Tallon, M.R. Presland, N.E. Flower, M.P. Staines, H.L. Johnston, M. Meylan, G.V.M. Williams and M. Bowden, Ca- and La-substitution in $YBa_2Cu_3O_{7-\delta}$, $Y_2Ba_4Cu_7O_{15-\delta}$ and $YBa_2Cu_4O_8$ **174**, 383

Cahen, D., see Y. Scolnik **174**, 273
Cardona, M., see J. Kircher **174**, 377
Cavin, O.B., see T.B. Lindemer **174**, 135
Chang, H.L.M., see Y. Gao **174**, 1
Chang, L., see A. Asthana **174**, 33
Chattopadhyay, T., see H. Maletta **174**, 489
Chen, H., see L. Tong **174**, 352
Chen, T., see H. Zhang **174**, 355
Clinton, T.W. and J.W. Lynn, Magnetic ordering of Er in powder and single crystals of $ErBa_2Cu_3O_7$ **174**, 487
Comberg, A., see P. Lemmens **174**, 289
Coppens, P., see M. Qi **174**, 23

Dalichaouch, Y., see C.C. Almasan **174**, 93
Das, A.N., see J. Konior **174**, 215
De Jongh, L.J., see S.I. Mukhin **174**, 455
Dixon, M.A., The normal state electronic structure of cuprate superconductors: a covalent picture **174**, 117
Dürrler, M., see J. Kircher **174**, 377

Eab, C.H. and I.M. Tang, The orthorhombic–tetragonal structural phase transition and its effect on the T_c's of the high temperature superconductors **174**, 149
Eom, C.B., see J.H. Kim **174**, 435
Ewert, S., see P. Lemmens **174**, 289

Flower, N.E., see R.G. Buckley **174**, 383
Fröning, P., see P. Lemmens **174**, 289
Fujikami, J., R. Yoshizaki, M. Akamatsu, T. Ishigaki and H. Asano, Site-selective substitution effect on T_c in the $Bi_2(Sr_{2-x}Ca_x)$ $(Ca_{0.8}R_{0.2})Cu_2O_{8+y}$ system (R = rare-earth) **174**, 359
Fujita, J., see T. Yoshitake **174**, 144

Gao, Y., K.L. Merkle, G. Bai, H.L.M. Chang and D.J. Lam, Structure and composition of grain boundary dislocation cores and stacking faults in MOCVD-grown $YBa_2Cu_3O_{7-x}$ thin films **174**, 1
Garriga, M., see J. Kircher **174**, 377
Geballe, T.H., see J.H. Kim **174**, 435
Geiser, U., A.J. Schultz, H.H. Wang, D.M. Watkins, D.L. Stupka, J.M. Williams, J.E. Schirber, D.L. Overmyer, D. Jung, J.J. Novoa and M.-H. Whangbo, Strain index, lattice softness and superconductivity of organic donor-molecule salts. Crystal and electronic structures of three isostructural salts κ-(BEDT–TTF)$_2$Cu[N(CN)$_2$]X (X = Cl, Br, I) **174**, 475
Geserich, H.P., see J. Kircher **174**, 377
Geus, H., see S. Ruppel **174**, 233
Gilbert, P.J., see A. Asthana **174**, 33
Ginzburg, S.L., V.P. Khavronin, G.Yu. Logvinova, I.D. Luzyanin, J. Herrmann, B. Lippold, H. Börner and H. Schmiedel, Low-field electrodynamics of high-T_c superconductors – theory and experiment **174**, 109
Gopalakrishnan, J., see C.N.R. Rao **174**, 11
Gray, K.E., R.T. Kampwirth, D.J. Miller, J.M. Murduck, D. Hampshire, R. Herzog and H.W. Weber, Observation of the crossover between bulk flux pinning and Josephson phase slips in the critical current of granular superconducting NbN/AlN multilayer films **174**, 340
Gurevich, A., see M. Polák **174**, 14

Hampshire, D., see K.E. Gray **174**, 340
Han, P.D., see A. Asthana **174**, 33
Harris Jr., J.S., see J.H. Kim **174**, 435
Hayashi, S., K. Shibutani, I. Shigaki, R. Ogawa, Y. Kawate, V. Maret, K. Kitahama and S. Kawai, Anisotropy of the magnetic properties in $Bi_2Sr_2CaCu_2O_x$ single crystal **174**, 329
Hayn, R. and R. Schumann, The charge-transfer gap within the Gutzwiller approximation **174**, 199
He, Q., see H. Zhang **174**, 355
Herrmann, J., see S.L. Ginzburg **174**, 109
Herzog, R., see K.E. Gray **174**, 340

Hewat, A.W., see D. Kovatcheva **174**, 280
Hiller, W. and K. Kopitzki, Inverse AC Josephson effect in granular superconductors of different Josephson-coupling **174**, 467
Homonnay, Z., A. Nath, Y. Wei and T. Jing, Microprobing of the chain site in $YBa_2Cu_3O_{6+x}$ by cobal-157 as a function of the oxygen content. Superconductor–insulator transition **174**, 223
Hor, P.H., see Z.J. Huang **174**, 253
Horiuchi, H., see M. Kimura **174**, 263
Horiuchi, S., see X.J. Wu **174**, 423
Huang, Z.J., Y.Y. Xue, J. Kulik, Y.Y. Sun and P.H. Hor, Enhancement of critical current density in $YBa_2Cu_3O_{7-\delta}$ **174**, 253
Hui, P.M., see D.M.T. Kuo **174**, 365

Igarashi, H., see T. Yoshitake **174**, 144
Ikeno, Y., see X.J. Wu **174**, 423
Iqbal, Z., see F.J. Owens **174**, 309
Ishigaki, T., see J. Fujikami **174**, 359
Ishikawa, M., see Y. Nakazawa **174**, 155
Iwase, A., N. Masaki, T. Iwata and T. Nihira, Non-ohmic resistive state in ion-irradiated $YBa_2Cu_3O_{7-x}$ **174**, 321
Iwata, T., see A. Iwase **174**, 321
Iye, Y., T. Tamegai and S. Nakamura, Dissipation in extremely anisotropic layered superconductor in parallel magnetic field **174**, 227

Jha, S.S., see A.K. Rajagopal **174**, 161
Jing, T., see Z. Homonnay **174**, 223
Job, R., see M. Mittag **174**, 101
Johnston, H.L., see R.G. Buckley **174**, 383
Jorgensen, J.D., see R.P. Sharma **174**, 409
Jung, D., see U. Geiser **174**, 475

Kakimoto, K., see X.J. Wu **174**, 423
Kalenborn, J., see S. Ruppel **174**, 233
Kalinay, P., see V.Yu. Yushankhai **174**, 401
Kallias, G., V. Psyharis, D. Niarchos and M. Pissas, Crystallographic, thermogravimetric and magnetization study of the $YBa_2Cu_{3-x}Fe_xO_y$ superconductor ($0 \le x \le 0.2$, $6 \le y \le 7$) **174**, 316
Kampwirth, R.T., see K.E. Gray **174**, 340
Kao, Y.H., see L.W. Song **174**, 303
Kawai, S., see S. Hayashi **174**, 329
Kawate, Y., see S. Hayashi **174**, 329
Khairullin, I.I., see F.J. Owens **174**, 309
Khavronin, V.P., see S.L. Ginzburg **174**, 109
Kheifets, A.S., A.I. Veinger and L.G. Paritsky, Magnetic flux trapping in hollow superconductors: possible device application for optical signal detection **174**, 86
Kim, J.H., I. Bozovic, C.B. Eom, T.H. Geballe and J.S. Harris Jr., Study of optical plasmons in $La_{1.85}Sr_{0.15}Cu_2O_4$ **174**, 435
Kimura, M., M. Tanaka, H. Horiuchi, M. Morita, M. Tanaka, M. Matsuo, H. Morikawa and K. Sawano, A new domain structure in $YBa_2Cu_3O_{7-x}$ prepared by the quench and melt growth (QMG) process **174**, 263
Kircher, J., M. Cardona, M. Garriga, B. Nick, M. Dürrler, A. Zibold and H.P. Geserich, Optical anisotropy in the $Pb_2Sr_2(Y, Ca)Cu_3O_{8+\delta}$ superconductor **174**, 377
Kitahama, K., see S. Hayashi **174**, 329
Klavins, P., see L. Zhang **174**, 431
Kmieć, R., see Z. Tomkowicz **174**, 71
Kodama, Y., see N. Murayama **174**, 335
Konior, J. and A.N. Das, Polaronic band-width for a strongly correlated Hubbard system **174**, 215
Kopitzki, K., see W. Hiller **174**, 467
Koshta, A.A., see Yu.N. Shvachko **174**, 447
Kovatcheva, D., P. Strobel, B. Souletie and A.W. Hewat, Structure and oxygen exchange in superconducting $Nd_2Ce_{0.67}Sr_{0.33}BaCu_3O_{9-\delta}$ **174**, 280
Krasnov, V.M., V.A. Larkin and V.V. Ryazanov, The extended Bean critical state model for superconducting 3-axes ellipsoid and its application for obtaining the bulk critical field H_{c1} and the pinning current J_c in high T_c superconducting single crystals **174**, 440
Kruk, R., see Z. Tomkowicz **174**, 71
Ku, H.C., see G.H. Kwei **174**, 180
Kulik, J., see Z.J. Huang **174**, 253
Kuo, D.M.T. and P.M. Hui, Effective electromagnetic response in superconductor–normal metal composites **174**, 365
Kwei, G.H., J.B. Shi and H.C. Ku, $Tl_{0.5}Pb_{0.5}Sr_2CuO_5$: a nonsuperconductor despite an "optimum" hole concentration in the Cu–O sheets **174**, 180
Kwei, G.H., see T. Sakurai **174**, 187

Lam, D.J., see Y. Gao **174**, 1
Lan, M.D., see L. Zhang **174**, 431
Larkin, V.A., see V.M. Krasnov **174**, 440
Łątka, K., see Z. Tomkowicz **174**, 71
Lee, P., see M. Qi **174**, 23
Lemmens, P., P. Fröning, S. Ewert, J. Pankert, G. Marbach and A. Comberg, Ultrasonic attenuation by the vortex lattice of $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_y$ **174**, 289
Lengfellner, H. and A. Schnellbögl, Nernst effect in high-T_c superconductors **174**, 373
Li, R., see M. Qi **174**, 23
Lindemer, T.B., F.A. Washburn, C.S. MacDougall and O.B. Cavin, Synthesis of Y–Ba–Cu–O superconductors in subatmospheric oxygen **174**, 135
Lippold, B., see S.L. Ginzburg **174**, 109
Liu, H.B., D.E. Morris, A.P.B. Sinha and X.X. Tang, Superconductivity in $La_{2-x}Sr_xCaCu_2O_6$ at 60 K. Investigation of doping and high pressure annealing **174**, 28
Liu, J.Z., see H.A. Blackstead **174**, 394
Liu, J.Z., see L. Zhang **174**, 431
Lo, W., see T.B. Tang **174**, 463
Logvinova, G.Yu., see S.L. Ginzburg **174**, 109
Lusk, J., see J.L. Tallon **174**, 345
Luzyanin, I.D., see S.L. Ginzburg **174**, 109
Lynn, J.W., see T.W. Clinton **174**, 487

MacDougall, C.S., see T.B. Lindemer **174**, 135
Maletta, H., T. Chattopadhyay and P.J. Brown, Reply to the comment by Clinton and Lynn **174**, 489
Manivannan, V., see C.N.R. Rao **174**, 11
Maple, M.B., see C.C. Almasan **174**, 93
Marbach, G., see P. Lemmens **174**, 289
Maret, V., see S. Hayashi **174**, 329
Masaki, N., see A. Iwase **174**, 321
Matsuo, M., see M. Kimura **174**, 263
McGinn, P.J., see H.A. Blackstead **174**, 394
Merkle, K.L., see Y. Gao **174**, 1
Meylan, M., see R.G. Buckley **174**, 383
Michels, G., see S. Ruppel **174**, 233
Michels, G., see D. Wohlleben **174**, 242
Miller, D.J., see K.E. Gray **174**, 340
Mittag, M., R. Job and M. Rosenberg, Magnetic relaxation and flux creep in ceramic (Bi, Pb)-2223 HTSC **174**, 101
Morikawa, H., see M. Kimura **174**, 263
Morita, M., see M. Kimura **174**, 263
Morris, D.E., see H.B. Liu **174**, 28
Mukhin, S.I., D. Reefman and L.J. de Jongh, Specific heat of the local-pair superconductor **174**, 455
Müller, W.F., see P.A. van Aken **174**, 63
Murayama, N., Y. Kodama, S. Sakaguchi, F. Wakai and Y. Torii, Influence of magnetic field on transport current path in Bi–Pb–Sr–Ca–Cu–O granular superconductor **174**, 335
Murduck, J.M., see K.E. Gray **174**, 340
Musaev, O.R. and V.L. Popov, Moving of flux lines through a random net of pinning centers **174**, 81

Nakamura, S., see Y. Iye **174**, 227
Nakazawa, Y., J. Takeya and M. Ishikawa, Effects of oxygen stoichiometry and Zn(Al) substitution on low temperature specific heat anomaly of the $Ba_2YCu_3O_y$ system **174**, 155
Narumi, E., see L.W. Song **174**, 303
Nath, A., see Z. Homonnay **174**, 223
Nelson, M.R., Dynamics of flux-line liquids in high-T_c superconductors **174**, 40
Niarchos, D., see G. Kallias **174**, 316
Nick, B., see J. Kircher **174**, 377
Nihira, T., see A. Iwase **174**, 321
Novoa, J.J., see U. Geiser **174**, 475

Ogawa, R., see S. Hayashi **174**, 329
Osamura, K., see W. Zhang **174**, 126
Overmyer, D.L., see U. Geiser **174**, 475
Owens, F.J., Z. Iqbal, A.A. Zakhidov and I.I. Khairullin, Paramagnetic resonance of Cu^{2+} defects in mixed $n=2$ and $n=3$ phase $Bi_{1.5}Pb_{0.5}SrCa_{n-1}Cu_nO_{2n+4}$ superconductor **174**, 309

Pankert, J., see P. Lemmens **174**, 289
Paritsky, L.G., see A.S. Kheifets **174**, 86
Payne, D.A., see A. Asthana **174**, 33
Pissas, M., see G. Kallias **174**, 316
Plakida, N.M., see V.Yu. Yushankhai **174**, 401
Polák, M., V. Windte, W. Schauer, J. Reiner, A. Gurevich and H. Wühl, Contactless measurement of voltage–current characteristics of high-T_c thin film superconductors **174**, 14
Pooke, D.M., see R.G. Buckley **174**, 383
Popov, V.L., see O.R. Musaev **174**, 81
Presland, M.R., see J.L. Tallon **174**, 345
Presland, M.R., see R.G. Buckley **174**, 383
Psyharis, V., see G. Kallias **174**, 316
Pulling, D.B., see H.A. Blackstead **174**, 394

Qi, M., P. Lee, R. Li, P. Coppens and J.H. Wang, Effect of hydrogen reduction on the structure and conductivity of $YBa_2Cu_3O_y$ **174**, 23

Rajagopal, A.K. and S.S. Jha, Generalized pairing theory of superconductivity in layered crystals **174**, 161
Rao, C.N.R., J. Gopalakrishnan, A.K. Santra and V. Manivannan, Relation between T_c and hole concentration in superconducting cuprates **174**, 11
Reefman, D., see S.I. Mukhin **174**, 455
Rehn, L.E., see R.P. Sharma **174**, 409
Reiner, J., see M. Polák **174**, 14
Ren, H., see H. Zhang **174**, 355
Roden, B., see S. Ruppel **174**, 233
Romanyukha, A.A., see Yu.N. Shvachko **174**, 447
Rosenberg, M., see M. Mittag **174**, 101
Rotella, F.J., see R.P. Sharma **174**, 409
Ruppel, S., G. Michels, H. Geus, J. Kalenborn, W. Schlabitz, B. Roden and D. Wohlleben, The equilibrium magnetization of granular high temperature superconductors in low fields. I. The Meissner effect of $YBa_2(Cu_{1-x}Fe_x)_3O_{7-y}$ **174**, 233
Ruppel, S., see D. Wohlleben **174**, 242
Ryazanov, V.V., see V.M. Krasnov **174**, 440

Sabatani, E., see Y. Scolnik **174**, 273
Sakaguchi, S., see N. Murayama **174**, 335
Sakurai, T., T. Yamashita, J.O. Willis, H. Yamauchi, S. Tanaka and G.H. Kwei, Combined X-ray and neutron powder diffraction study of the structure of $La_{1.8}Sr_{0.2}CaCu_2O_6$. Cation ordering and oxygen stoichiometry **174**, 187
Santra, A.K., see C.N.R. Rao **174**, 11
Satoh, T., see T. Yoshitake **174**, 144
Sawano, K., see M. Kimura **174**, 263
Schauer, W., see M. Polák **174**, 14
Schirber, J.E., see U. Geiser **174**, 475
Schlabitz, W., see S. Ruppel **174**, 233
Schmiedel, H., see S.L. Ginzburg **174**, 109
Schnellbögl, A., see H. Lengfellner **174**, 373
Schultz, A.J., see U. Geiser **174**, 475
Schumann, R., see R. Hayn **174**, 199
Scolnik, Y., E. Sabatani and D. Cahen, Chemical diffusion coefficient of oxygen in polycrystalline $YBa_2Cu_3O_{7-x}$ at room temperature **174**, 273
Seaman, C.L., see C.C. Almasan **174**, 93

Sergeenkov, S.A., Memory effects in high-T_c superconductive glass model **174**, 195
Shao, H.M., see L.W. Song **174**, 303
Sharma, R.P., F.J. Rotella, J.D. Jorgensen and L.E. Rehn, Neutron diffraction and ion-channeling investigations of atomic displacements in $YBa_2Cu_3O_{7-\delta}$ between 10 and 300 K **174**, 409
Shaw, D.T., see L.W. Song **174**, 303
Shelton, R.N., see L. Zhang **174**, 431
Shi, J.B., see G.H. Kwei **174**, 180
Shibutani, K., see S. Hayashi **174**, 329
Shigaki, I., see S. Hayashi **174**, 329
Shvachko, Yu.N., A.A. Koshta, A.A. Romanyukha, V.V. Ustinov and A.I. Akimov, Detection of the flux-line lattice in high-T_c superconductors by ESR-probe decoration **174**, 447
Sinha, A.P.B., see H.B. Liu **174**, 28
Sokolov, A.I., Specific heat anomalies in high temperature superconductors. Critical behaviour or gaussian fluctuations? **174**, 208
Song, L.W., E. Narumi, F. Yang, H.M. Shao, D.T. Shaw and Y.H. Kao, Transport properties of $YBa_2(Cu_{0.98}M_{0.02})_3O_y$ (M = Fe, Co, Ni) superconducting thin films **174**, 303
Souletie, B., see D. Kovatcheva **174**, 280
Staines, M.P., see R.G. Buckley **174**, 383
Strobel, P., see D. Kovatcheva **174**, 280
Stupka, D.L., see U. Geiser **174**, 475
Sun, Y., see H. Zhang **174**, 355
Sun, Y.Y., see Z.J. Huang **174**, 253
Szytułła, A., see Z. Tomkowicz **174**, 71

Takeya, J., see Y. Nakazawa **174**, 155
Tallon, J.L., J. Lusk and M.R. Presland, Pressure dependence of T_c in superconducting cuprates **174**, 345
Tallon, J.L., see R.G. Buckley **174**, 383
Tamegai, T., see Y. Iye **174**, 227
Tanaka, M., see M. Kimura **174**, 263
Tanaka, S., see T. Sakurai **174**, 187
Tang, I.M., see C.H. Eab **174**, 149
Tang, T.B. and W. Lo, Oxygen diffusion in YBCO: an isothermal thermogravimetric study **174**, 463
Tang, X.X., see H.B. Liu **174**, 28
Tomkowicz, Z., K. Łątka, A. Szytułła, A. Bajorek, M. Bałanda, R. Kmieć, R. Kruk and A. Zygmunt, Superconductivity in the $(Gd_{1-x}Pr_x)Ba_2Cu_3O_{7-\delta}$ system **174**, 71
Tong, L., C. Zhang, H. Chen and S. Yan, Anisotropic vortex structure in $YBa_2Cu_3O_7$ thin films at liquid nitrogen temperature **174**, 352
Torii, Y., see N. Murayama **174**, 335

Ustinov, V.V., see Yu.N. Shvachko **174**, 447

Van Aken, P.A. and W.F. Müller, Superstructure formation in the electron-doped superconducting system $Nd_{2-x}Ce_xCuO_{4-\delta}$. A transmission electron microscopical study **174**, 63
Veinger, A.I., see A.S. Kheifets **174**, 86

Wakai, F., see N. Murayama **174**, 335
Wang, H.H., see U. Geiser **174**, 475
Wang, J.H., see M. Qi **174**, 23
Washburn, F.A., see T.B. Lindemer **174**, 135
Watkins, D.M., see U. Geiser **174**, 475
Weber, H.W., see K.E. Gray **174**, 340
Wei, Y., see Z. Homonnay **174**, 223
Whangbo, M.-H., see U. Geiser **174**, 475
Williams, G.V.M., see R.G. Buckley **174**, 383
Williams, J.M., see U. Geiser **174**, 475
Willis, J.O., see T. Sakurai **174**, 187
Windte, V., see M. Polák **174**, 14
Wohlleben, D., see S. Ruppel **174**, 233
Wohlleben, D., G. Michels and S. Ruppel, The equilibrium magnetization of granular high temperature superconductors in low fields. II. The model **174**, 242
Wu, X.J., Y. Ikeno, K. Kakimoto and S. Horiuchi, Microstructures of Ag-sheathed Y–Ba–Cu–O superconducting tapes **174**, 423
Wühl, H., see M. Polák **174**, 14

Xiao, L., see H. Zhang **174**, 355
Xu, Z., see A. Asthana **174**, 33
Xue, Y.Y., see Z.J. Huang **174**, 253

Yamashita, T., see T. Sakurai **174**, 187
Yamauchi, H., see T. Sakurai **174**, 187
Yan, S., see L. Tong **174**, 352
Yan, S., see H. Zhang **174**, 355
Yang, F., see L.W. Song **174**, 303
Yoshitake, T., T. Satoh, J. Fujita and H. Igarashi, Dependence of structures and electrical properties on oxygen content in $Nd_{2-x}Ce_xCuO_{4-y}$ films **174**, 144
Yoshizaki, R., see J. Fujikami **174**, 359
Yushankhai, V.Yu., N.M. Plakida and P. Kalinay, Superconducting pairing in the mean-field approximation for the t–J model: numerical analysis **174**, 401

Zakhidov, A.A., see F.J. Owens **174**, 309
Zhang, C., see L. Tong **174**, 352
Zhang, H., T. Chen, Y. Sun, H. Ren, L. Xiao, Q. He and S. Yan, Studies of flux-pinning energies in high J_c $YBa_2Cu_3O_7$ prepared by melt-textured growth method **174**, 355
Zhang, L., J.Z. Liu, M.D. Lan, P. Klavins and R.N. Shelton, Single crystal growth of $Nd_{2-x}Ce_xCuO_{4-y}$ **174**, 431
Zhang, W. and K. Osamura, Stability and crystal structure of $LnBa_6Cu_3O_x$ phase (Ln anthanide) **174**, 126
Zibold, A., see J. Kircher **174**, 377
Zygmunt, A., see Z. Tomkowicz **174**, 71

Physica C 174 (1991) 495–496
North-Holland

Analytic Subject Index to Volume 174

AC susceptibility of superconductors 109
Anisotropic superconductor 161, 227, 352, 377, 455
Antiferromagnetic order
– in $ErBa_2Cu_3O_7$ 487
Applications of high-T_c superconductors 86

Band structure 117

Carrier concentration 11, 455
Charge transfer gap 199
Coherence length 208
Copper valence 28
Critical current density 14, 23, 253, 263, 423, 440
– in $Bi_2Sr_2CaCu_2O_x$ single crystal 329
– in Bi–Pb–Sr–Ca–Cu–O 335
– in $YBa_2(Cu_{0.98}M_{0.02})_3O_y$ (M=Fe, Co, Ni) 303
– in $YBa_2Cu_3O_7$ 355
Critical phenomena 208
Critical state model 109, 440
Cu–O chains 223, 280
Cu–O planes 11, 117, 345

Defect structures 1, 233, 253
– in $Bi_{1.5}Pb_{0.5}Sr_2Ca_{n-1}Cu_nO_{2n+4}$ 309
Domain structure 263
D-wave superconductors 401

Effective medium approximation 365
Electrical resistivity 71, 227, 321
Electron-doped superconductor 431
Electron–electron correlation 199
Electronic structure 117
– of κ-(BEDT-TTF)$_2$Cu[N(CN)$_2$]X (X=Cl, Br, I) 475
– of $Pb_2Sr_2(Y,Ca)Cu_3O_{8+\delta}$ 377
Electron–phonon coupling 215
Emery model 199
ESR 447
– in $Bi_{1.5}Pb_{0.5}Sr_2Ca_{n-1}Cu_nO_{2n+4}$ 309
Exchange-mediated pairing 401

Far-infrared spectra 435
Fluctuation effects 208
Flux creep 81, 101
Flux dynamics 14, 40, 81, 227, 289, 321, 373
Flux lattice 40, 289, 352, 447
Flux pinning 40, 81, 93, 101, 253, 321, 340, 355
– in $Bi_2Sr_2CaCu_2O_x$ single crystal 329

Ginzburg–Landau theory 149
Glassy state 40, 195
Grain boundaries 1
Granular superconductivity 233, 242, 335, 340, 365, 467

Hall effect
– in $YBa_2(Cu_{0.98}M_{0.02})_3O_y$ (M=Fe, Co, Ni) 303
High pressure effect
– in $Tl_{0.5}Pb_{0.5}CaSr_{2-x}La_xCu_2O_7$ 345
Hole concentration
– in $Bi_2(Sr_{2-x}Ca_x)(Ca_{0.8}R_{0.2})Cu_2O_{8+y}$ 359
– in $Tl_{0.5}Pb_{0.5}CaSr_{2-x}La_xCu_2O_7$ 345
Hole concentrations 401
HREM 1
Hubbard hamiltonian 401
Hubbard model 215

Infrared spectroscopy 365, 435
Interlayer pairing 161
Intralayer pairing 161
Ion channeling 409
Irradiation effect 321, 340
Irreversibility line
– in $Sm_{1.85}Ce_{0.15}CuO_{4-y}$ 93

Josephson effect 467

Lattice parameters 23, 126, 144
– in $Bi_2(Sr_{2-x}Ca_x)(Ca_{0.8}R_{0.2})Cu_2O_{8+y}$ 359
– in $YBa_2Cu_{3-x}Fe_xO_y$ 316
Lattice softness 475
Layered superconductor 161
Local-pair superconductor 215, 455
London penetration depth 242
Lower critical field H_{c1} 440

Magnetic relaxation 93, 101, 195, 242
Magnetic susceptibility 33, 253, 316
– of $La_{2-x}Sr_xCaCu_2O_6$ 28
Magnetization 71, 93, 109, 335
Meissner effect 233, 242
Memory effects 195
Metal–insulator transition 144, 223
Microwave absorption 86
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ 394
– in $YBa_2Cu_3O_{7-\delta}$ 394
Mössbauer spectroscopy 71, 223
Multilayers
– of NbN/AlN 340

Nernst effect 373
Neutron diffraction 180, 280
– in $YBa_2Cu_3O_{7-\delta}$ 409
– of $La_{1.8}Sr_{0.2}CaCu_2O_6$ 187
Normal-state properties 117, 435

Optical reflectivity 435
– of $Pb_2Sr_2(Y,Ca)Cu_3O_{8+\delta}$ 377
Organic superconductor 475
O–T transition 149
– in $YBa_2Cu_{3-x}Fe_xO_y$ 316
Oxygen diffusion 280
– in $YBa_2Cu_3O_{7-\delta}$ 463
– in $YBa_2Cu_3O_{7-x}$ 273
Oxygen stoichiometry 23, 135, 144, 155, 180, 187, 223
– in $La_{2-x}Sr_xCaCu_2O_6$ 28
– in $YBa_2Cu_3O_{7-\delta}$ 463
– in $YBa_2Cu_{3-x}Fe_xO_y$ 316

Penetration depth 447
– in $YBa_2Cu_3O_7$ 352
Phonon spectrum
– in $YBa_2Cu_3O_{7-\delta}$ 409
Pinning force
– in $YBa_2(Cu_{0.98}M_{0.02})_3O_y$ (M=Fe, Co, Ni) 303
Plasmon mechanism 435

Specific heat 155, 455
Specific heat at T_c 208
Specific heat, low-T 155
Structural phase transition 149
Structure
– of κ-(BEDT-TTF)$_2$Cu[N(CN)$_2$]X (X=Cl, Br, I) 475
– of $La_{1.8}Sr_{0.2}CaCu_2O_6$ 187

– of $LnBa_6Cu_3O_x$ 126
– of $Nd_2Ce_{0.67}Sr_{0.33}BaCu_3O_{9-\delta}$ 280
– of $Nd_{2-x}Ce_xCuO_{4-\delta}$ 63
– of $Tl_{0.5}Pb_{0.5}Sr_2CuO_5$ 180
Substitution effects 180
– in
$Bi_2(Sr_{2-x}Ca_x)(Ca_{0.8}R_{0.2})Cu_2O_{8+y}$ 359
– in Bi–Ca–Sr–Cu–O 33
– in $(Gd_{1-x}Pr_x)Ba_2Cu_3O_{7-\delta}$ 71
Substitution effects of Ca
– in $Y_2Ba_4Cu_7O_{15-\delta}$ 383
– in $YBa_2Cu_3O_{7-\delta}$ 383
– in $YBa_2Cu_4O_8$ 383
Substitution effects of La
– in $Y_2Ba_4Cu_7O_{15-\delta}$ 383
– in $YBa_2Cu_3O_{7-\delta}$ 383
– in $YBa_2Cu_4O_8$ 383
Substitution effects of Zn(Al)
– in $YBa_2Cu_3O_y$ 155
Superconducting tapes 423
Surface impedance
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 394
– of $YBa_2Cu_3O_{7-\delta}$ 394
Synthesis
– of Bi–Ca–Sr–Cu–O 33
– of $LnBa_6Cu_3O_x$ 126
– of $Nd_{2-x}Ce_xCuO_{4-y}$ (single crystal) 431
– of $YBa_2Cu_3O_{7-x}$ 135
– of $YBa_2Cu_4O_8$ 135

Thermogravimetry 463
Thin films 1, 14
– of $Nd_{2-x}Ce_xCuO_{4-y}$ 144
– of $YBa_2(Cu_{0.98}M_{0.02})_3O_y$ (M=Fe, Co, Ni) 303
– of $YBa_2Cu_3O_7$ 352
Transmission electron microscopy 63, 423

Ultrasound attenuation
– in $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_y$ 289
Ultrasound velocity 289

Weak links 195, 263, 394, 467

X-ray diffraction 263

Physica C 174 (1991) 497
North-Holland

Materials Index to Volume 174

$Bi_{1.5}Pb_{0.5}Sr_2Ca_{n-1}Cu_nO_{2n+4}$
- defect structures 309
- ESR 309

$Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_y$
- ultrasound attenuation 289

$Bi_2Sr_2CaCu_2O_{8+\delta}$
- microwave absorption 394
- surface impedance 394

$Bi_2Sr_2CaCu_2O_x$
- critical current density 329
- flux pinning 329

$Bi_2(Sr_{2-x}Ca_x)(Ca_{0.8}R_{0.2})Cu_2O_{8+y}$
- hole concentration 359
- lattice parameters 359
- substitution effects 359

Bi–Ca–Sr–Cu–O
- substitution effects 33
- synthesis 33

Bi–Pb–Sr–Ca–Cu–O
- critical current density 335

$ErBa_2Cu_3O_7$
- antiferromagnetic order 487

$(Gd_{1-x}Pr_x)Ba_2Cu_3O_{7-\delta}$
- substitution effects 71

κ-(BEDT-TTF)$_2$Cu[N(CN)$_2$]X
- electronic structure 475
- structure 475

$La_{1.8}Sr_{0.2}CaCu_2O_6$
- neutron diffraction 187
- structure 187

$La_{2-x}Sr_xCaCu_2O_6$
- magnetic susceptibility 28
- oxygen stoichiometry 28

$LnBa_6Cu_3O_x$
- structure 126
- synthesis 126

NbN/AlN
- multilayers 340

$Nd_2Ce_{0.67}Sr_{0.33}BaCu_3O_{9-\delta}$
- structure 280

$Nd_{2-x}Ce_xCuO_{4-\delta}$
- structure 63

$Nd_{2-x}Ce_xCuO_{4-y}$
- synthesis 431
- thin films 144

$Pb_2Sr_2(Y,Ca)Cu_3O_{8+\delta}$
- electronic structure 377
- optical reflectivity 377

$Sm_{1.85}Ce_{0.15}CuO_{4-y}$
- irreversibility line 93

$Tl_{0.5}Pb_{0.5}CaSr_{2-x}La_xCu_2O_7$
- high pressure effect 345
- hole concentration 345

$Tl_{0.5}Pb_{0.5}Sr_2CuO_5$
- structure 180

$Y_2Ba_4Cu_7O_{15-\delta}$
- substitution effects of Ca 383
- substitution effects of La 383

$YBa_2(Cu_{0.98}M_{0.02})_3O_y$
- critical current density 303
- Hall effect 303
- pinning force 303
- thin films 303

$YBa_2Cu_3O_7$
- critical current density 355
- penetration depth 352
- thin films 352

$YBa_2Cu_3O_{7-\delta}$
- microwave absorption 394
- neutron diffraction 409
- oxygen diffusion 463
- oxygen stoichiometry 463
- phonon spectrum 409
- substitution effects of Ca 383
- substitution effects of La 383
- surface impedance 394

$YBa_2Cu_3O_{7-x}$
- oxygen diffusion 273
- synthesis 135

$YBa_2Cu_3O_y$
- substitution effects of Zn(Al) 155

$YBa_2Cu_{3-x}Fe_xO_y$
- lattice parameters 316
- O–T transition 316
- oxygen stoichiometry 316

$YBa_2Cu_4O_8$
- substitution effects of Ca 383
- substitution effects of La 383
- synthesis 135